

Seamless and welded steel tubes — Dimensions and masses per unit length

The European Standard EN 10220:2002 has the status of a
British Standard

ICS 23.040.10; 77.140.70

National foreword

This British Standard is the official English language version of EN 10220:2002. It supersedes BS 3600:1997 which is withdrawn.

The UK participation in its preparation was entrusted to Technical Committee ISE/8, Steel pipes, which has the responsibility to:

- aid enquirers to understand the text;
- present to the responsible international/European committee any enquiries on the interpretation, or proposals for change, and keep the UK interests informed;
- monitor related international and European developments and promulgate them in the UK.

A list of organizations represented on this committee can be obtained on request to its secretary.

Cross-references

The British Standards which implement international or European publications referred to in this document may be found in the *BSI Catalogue* under the section entitled “International Standards Correspondence Index”, or by using the “Search” facility of the *BSI Electronic Catalogue* or of British Standards Online.

This publication does not purport to include all the necessary provisions of a contract. Users are responsible for its correct application.

Compliance with a British Standard does not of itself confer immunity from legal obligations.

This British Standard, having been prepared under the direction of the Engineering Sector Policy and Strategy Committee, was published under the authority of the Standards Policy and Strategy Committee on 13 December 2002

Summary of pages

This document comprises a front cover, an inside front cover, the EN title page, pages 2 to 9 and a back cover.

The BSI copyright date displayed in this document indicates when the document was last issued.

Amendments issued since publication

Amd. No.	Date	Comments

© BSI 13 December 2002

ISBN 0 580 40982 1

English version

Seamless and welded steel tubes - Dimensions and masses per unit length

Tubes lisses en acier, soudés et sans soudure - Tableaux généraux des dimensions et des masses linéiques

Nahtlose und geschweißte Stahlrohre - Allgemeine Tabellen für Maße und längenbezogene Masse

This European Standard was approved by CEN on 16 October 2002.

CEN members are bound to comply with the CEN/CENELEC Internal Regulations which stipulate the conditions for giving this European Standard the status of a national standard without any alteration. Up-to-date lists and bibliographical references concerning such national standards may be obtained on application to the Management Centre or to any CEN member.

This European Standard exists in three official versions (English, French, German). A version in any other language made by translation under the responsibility of a CEN member into its own language and notified to the Management Centre has the same status as the official versions.

CEN members are the national standards bodies of Austria, Belgium, Czech Republic, Denmark, Finland, France, Germany, Greece, Iceland, Ireland, Italy, Luxembourg, Malta, Netherlands, Norway, Portugal, Spain, Sweden, Switzerland and United Kingdom.



EUROPEAN COMMITTEE FOR STANDARDIZATION
COMITÉ EUROPÉEN DE NORMALISATION
EUROPÄISCHES KOMITEE FÜR NORMUNG

Management Centre: rue de Stassart, 36 B-1050 Brussels

Contents

	page
Foreword	3
1 Scope	4
2 Normative references	4
3 Terms and definitions.....	4
4 Classification of outside diameters	4
5 Method of calculating masses per unit length.....	5
6 Dimensions and masses per unit length.....	5
Bibliography	9

Foreword

This document (EN 10220:2002) has been prepared by Technical Committee ECISS/TC 29, "Steel tubes and fittings for steel tubes", the Secretariat of which is held by UNI.

This European Standard shall be given the status of a national standard, either by publication of an identical text or by endorsement, at the latest by June 2003, and conflicting national standards shall be withdrawn at the latest by June 2003.

When transforming the European Prestandard ENV 10220 into this European Standard EN 10220, ECISS/TC 29 regarded it as necessary to avoid any conflict with and to deviate as little as possible from ISO 4200:1991 because of the international trade in steel tubes and tubular products.

Table 1 of ENV 10220, which is identical with Table 2 of ISO 4200:1991, was therefore left unchanged for EN 10220.

Table 2 of EN 10220 contains dimensions for heavy wall tubes, that are not covered by ISO 4200:1991.

All parts of the European Standard series EN 10305 on steel tubes for precision applications contain tables with preferred dimensions, that are specific for the various parts of the standards series and the products and fields of application specified therein. Therefore, Table 3 from ENV 10220 with preferred dimensions for steel tubes for precision applications has become unnecessary, and has not been included in this standard.

This document supersedes ENV 10220:1993.

According to the CEN/CENELEC Internal Regulations, the national standards organizations of the following countries are bound to implement this European Standard: Austria, Belgium, Czech Republic, Denmark, Finland, France, Germany, Greece, Iceland, Ireland, Italy, Luxembourg, Malta, Netherlands, Norway, Portugal, Spain, Sweden, Switzerland and the United Kingdom.

1 Scope

This European Standard specifies, for seamless and welded circular steel tubes for general purposes (e. g. mechanical, pressure and structural applications), the following:

- preferred dimensions for outside diameter and wall thickness in millimetres and
- masses per unit length in kilogrammes per metre of plain end tube.

Technical Committees of ECISS and CEN should select these preferred dimensions for their product or functional standards, where appropriate.

The outside diameters are classified into three series reflecting the availability of accessories for piping systems (see Clause 4). This classification of outside diameters into different series and of preferred wall thicknesses indicates the range of steel tubes usually produced.

NOTE Information on dimensions for steel tubes for special applications can be found in other European Standards, e.g. prEN 10255, EN 10305 series, EN ISO 11960 and EN ISO 11961, information on dimensions for stainless steel tubes in EN ISO 1127.

2 Normative references

This European Standard incorporates by dated or undated reference, provisions from other publications. These normative references are cited at the appropriate places in the text and publications are listed hereafter. For dated references, subsequent amendments to or revisions of any of these publications apply to this European Standard only when incorporated in it by amendment or revision. For undated references the latest edition of the publication referred to applies (including amendments).

prEN 10266, *Steel tubes, fittings and structural hollow sections – Symbols and definition of terms for use in product standards*.

3 Terms and definitions

For the purpose of this European Standard the terms and definitions in prEN 10266 apply.

4 Classification of outside diameters

The outside diameters given in Tables 1 and 2 are classified into three series which may be described in the following way:

- series 1: outside diameters for which all the accessories needed for the construction of piping systems are standardized;
- series 2: outside diameters for which not all accessories are standardized;
- series 3: outside diameters for which very few standardized accessories exist.

NOTE 1 It is recommended to select, for tubes intended to be used as components of piping systems, outside diameters from series 1 in Table 1. Tubes with outside diameters in accordance with series 2 and 3 may not, or not easily, be available.

NOTE 2 Accessories for heavy wall tubes with dimensions in accordance with Table 2 may not be available regardless of the series in Table 1 to which the relevant outside diameter is allocated.

5 Method of calculating masses per unit length

The masses per unit length given in Tables 1 and 2 have been calculated from outside diameter D and wall thickness T to at least five significant figures, using the formula given below. They have been rounded to three significant figures for values of less than 100 and to the nearest whole number for larger values.

$$M = (D - T) T \times 0,0246615^{1)} \text{ kg/m}$$

where

M is the mass per unit length in kg/m,

D is the specified outside diameter in mm and

T is the specified wall thickness in mm.

The calculated values may also be applied to tubes with different density values, but have then to be multiplied by a factor of

- 1,015 for austenitic stainless steel²⁾
- 0,985 for ferritic and martensitic stainless steel³⁾.

NOTE EN 10088-1 provides distinguished density values for various groups of stainless steel grades which may be used for calculating purposes.

6 Dimensions and masses per unit length

Table 1 gives dimensions consisting of outside diameters D , from 3 series as described in Clause 4, and related wall thicknesses $T \leq 65$ mm and the calculated masses per unit length of plain end tube.

Table 2 gives dimensions consisting of outside diameters D and related wall thicknesses T from 70 mm to 100 mm and the calculated masses per unit length of plain end tube.

-
- 1) This factor is based on a density of 7,85 kg/dm³.
 - 2) This factor is based on a density of 7,97 kg/dm³.
 - 3) This factor is based on a density of 7,73 kg/dm³.

Table 1 – Dimensions (wall thicknesses $T \leq 65$ mm) and masses per unit length

Outside diameter ø mm series			Wall thickness T, mm																				
			0,5	0,6	0,8	1	1,2	1,4	1,6	1,8	2	2,3	2,6	2,9	3,2	3,6	4	4,5	5	5,4	5,6	6,3	
1	2	3	Mass per unit length, kg/m																				
10,2			0,120	0,142	0,185	0,227	0,266	0,304	0,339	0,373	0,404	0,448	0,487										
	12		0,142	0,169	0,221	0,271	0,320	0,366	0,410	0,453	0,493	0,550	0,603	0,651	0,694								
	12,7		0,150	0,179	0,235	0,289	0,340	0,390	0,438	0,484	0,528	0,590	0,648	0,701	0,750								
13,5			0,160	0,191	0,251	0,308	0,364	0,418	0,470	0,519	0,567	0,636	0,699	0,758	0,813	0,879							
		14	0,166	0,198	0,260	0,321	0,379	0,435	0,489	0,542	0,592	0,664	0,731	0,794	0,852	0,923							
	16		0,191	0,228	0,300	0,370	0,438	0,504	0,568	0,630	0,691	0,777	0,859	0,937	1,01	1,10	1,18						
17,2			0,206	0,246	0,324	0,400	0,474	0,546	0,616	0,684	0,750	0,845	0,936	1,02	1,10	1,21	1,3	1,41					
		18	0,216	0,257	0,339	0,419	0,497	0,573	0,647	0,719	0,789	0,891	0,987	1,08	1,17	1,28	1,38	1,50					
	19		0,228	0,272	0,359	0,444	0,527	0,608	0,687	0,764	0,838	0,947	1,05	1,15	1,25	1,37	1,48	1,61	1,73				
	20		0,240	0,287	0,379	0,469	0,556	0,642	0,726	0,808	0,888	1,00	1,12	1,22	1,33	1,46	1,58	1,72	1,85				
21,3			0,256	0,306	0,404	0,501	0,595	0,687	0,777	0,866	0,952	1,08	1,20	1,32	1,43	1,57	1,71	1,86	2,01	2,12			
		22	0,265	0,317	0,418	0,518	0,616	0,711	0,805	0,897	0,996	1,12	1,24	1,37	1,48	1,63	1,78	1,94	2,10	2,21			
	25		0,302	0,361	0,477	0,592	0,704	0,815	0,923	1,03	1,13	1,29	1,44	1,58	1,72	1,90	2,07	2,28	2,47	2,61	2,68	2,91	
		25,4	0,307	0,367	0,485	0,602	0,716	0,829	0,939	1,05	1,15	1,31	1,46	1,61	1,75	1,94	2,11	2,32	2,52	2,66	2,73	2,97	
26,9			0,326	0,389	0,515	0,639	0,761	0,880	0,998	1,11	1,23	1,40	1,56	1,72	1,87	2,07	2,26	2,49	2,70	2,86	2,94	3,20	
		30	0,364	0,435	0,576	0,715	0,852	0,987	1,12	1,25	1,38	1,57	1,76	1,94	2,11	2,34	2,56	2,83	3,08	3,28	3,27	3,68	
	31,8		0,386	0,462	0,612	0,760	0,906	1,05	1,19	1,33	1,47	1,67	1,87	2,07	2,26	2,50	2,74	3,03	3,30	3,52	3,62	3,96	
	32		0,388	0,465	0,616	0,765	0,911	1,06	1,20	1,34	1,48	1,68	1,89	2,08	2,27	2,52	2,76	3,05	3,33	3,54	3,65	3,99	
33,7			0,409	0,490	0,649	0,806	0,962	1,12	1,27	1,42	1,56	1,78	1,99	2,20	2,41	2,67	2,93	3,24	3,54	3,77	3,88	4,26	
		35	0,425	0,509	0,675	0,838	1,00	1,16	1,32	1,47	1,63	1,85	2,08	2,30	2,51	2,79	3,06	3,38	3,70	3,94	4,06	4,46	
	38		0,462	0,553	0,734	0,912	1,09	1,26	1,44	1,61	1,78	2,02	2,27	2,51	2,75	3,05	3,35	3,72	4,07	4,34	4,47	4,93	
	40		0,487	0,583	0,773	0,962	1,15	1,33	1,52	1,70	1,87	2,14	2,40	2,65	2,90	3,23	3,55	3,94	4,32	4,61	4,75	5,24	
42,4			0,517	0,619	0,821	1,02	1,22	1,42	1,61	1,80	1,99	2,27	2,55	2,82	3,09	3,44	3,79	4,21	4,61	4,93	5,08	5,61	
		44,5	0,543	0,650	0,862	1,07	1,28	1,49	1,69	1,90	2,10	2,39	2,69	2,98	3,26	3,63	4,00	4,44	4,87	5,21	5,37	5,94	
48,3				0,706	0,937	1,17	1,39	1,62	1,84	2,06	2,28	2,61	2,93	3,25	3,56	3,97	4,37	4,86	5,34	5,71	5,90	6,53	
	51			0,746	0,990	1,23	1,47	1,71	1,95	2,18	2,42	2,76	3,10	3,44	3,77	4,21	4,64	5,16	5,67	6,07	6,27	6,94	
		54		0,790	1,05	1,31	1,56	1,82	2,07	2,32	2,56	2,93	3,30	3,65	4,01	4,47	4,93	5,49	6,04	6,47	6,68	7,41	
	57			0,835	1,11	1,38	1,65	1,92	2,19	2,45	2,71	3,10	3,49	3,87	4,25	4,74	5,23	5,83	6,41	6,87	7,10	7,88	
60,3				0,883	1,17	1,46	1,75	2,03	2,32	2,60	2,88	3,29	3,70	4,11	4,51	5,03	5,55	6,19	6,82	7,31	7,55	8,39	
	63,5			0,931	1,24	1,54	1,84	2,14	2,44	2,74	3,03	3,47	3,90	4,33	4,76	5,32	5,87	6,55	7,21	7,74	8,00	8,89	
	70				1,37	1,70	2,04	2,37	2,70	3,03	3,35	3,84	4,32	4,80	5,27	5,90	6,51	7,27	8,01	8,60	8,89	9,90	
		73			1,42	1,78	2,12	2,47	2,82	3,16	3,50	4,01	4,51	5,01	5,51	6,16	6,81	7,60	8,38	9,00	9,31	10,4	
76,1					1,49	1,85	2,22	2,58	2,94	3,30	3,65	4,19	4,71	5,24	5,75	6,44	7,11	7,95	8,77	9,42	9,74	10,8	
		82,5			1,61	2,01	2,41	2,80	3,19	3,58	3,97	4,55	5,12	5,69	6,26	7,00	7,74	8,66	9,56	10,3	10,6	11,8	
88,9					1,74	2,17	2,60	3,02	3,44	3,87	4,29	4,91	5,53	6,15	6,76	7,57	8,38	9,37	10,3	11,1	11,5	12,8	
	101,6																						
		108																					
114,3																							
	127																						
	133																						
139,7																							
		141,3																					
		152,4																					
		159																					
168,3																							
		177,8																					
		193,7																					
219,1																							
		244,5																					
273																							
323,9																							
356,6																							
406,4																							
457																							
508																							
		559																					
610																							
		660																					
711																							
		762																					
813																							
		864																					
914																							
1016																							
1067																							
1118																							
		1168																					
1219																							
		1321																					
1422																							
		1524																					
1626																							
		1727																					
1829																							
		1930																					
2032																							
		2134																					
2235																							
		2337																					
		2438																					
2540																							

Table 1 (continued)

Outside diameter D mm series			Wall thickness T, mm																						
			7,1	8	8,8	10	11	12,5	14,2	16	17,5	20	22,2	25	28	30	32	36	40	45	50	55	60	65	
1	2	3	Mass per unit length, kg/m																						
10,2																									
	12																								
	12,7																								
13,5		14																							
	16																								
17,2		18																							
	19																								
	20																								
21,3		22																							
	25																								
	25,4																								
26,9		30	3,47	3,73																					
			4,01	4,34																					
	31,8		4,32	4,70																					
	32		4,36	4,74																					
33,7		35	4,66	5,07	5,40																				
			4,89	5,33	5,69																				
	38		5,41	5,92	6,34	6,91																			
	40		5,76	6,31	6,77	7,40																			
42,4			6,18	6,79	7,29	7,99																			
	44,5		6,55	7,20	7,75	8,51	9,09	9,86																	
48,3			7,21	7,95	8,57	9,45	10,1	11,0																	
	51		7,69	8,48	9,16	10,1	10,9	11,9																	
	54		8,21	9,08	9,81	10,9	11,7	12,8	13,9																
	57		8,74	9,67	10,5	11,6	12,5	13,7	15,0																
60,3			9,32	10,3	11,2	12,4	13,4	14,7	16,1	17,5															
	63,5		9,88	10,9	11,9	13,2	14,2	15,7	17,3	18,7															
	70		11,0	12,2	13,3	14,8	16,0	17,7	19,5	21,3	22,7														
	73		11,5	12,8	13,9	15,5	16,8	18,7	20,6	22,5	24,0														
76,1			12,1	13,4	14,6	16,3	17,7	19,6	21,7	23,7	25,3	27,7													
	82,5		13,2	14,7	16,0	17,9	19,4	21,6	23,9	26,2	28,1	30,8	33,0												
88,9			14,3	16,0	17,4	19,5	21,1	23,6	26,2	28,8	30,8	34,0	36,5	39,4											
	101,6		16,5	18,5	20,1	22,6	24,6	27,5	30,6	33,8	36,3	40,2	43,5	47,2	50,8										
	108		17,7	19,7	21,5	24,2	26,3	29,4	32,8	36,3	39,1	43,4	47,0	51,2	55,2	57,7									
114,3			18,8	21,0	22,9	25,7	28,0	31,4	35,1	38,8	41,8	46,5	50,4	55,1	59,6	62,4	64,9								
	127		21,0	23,5	25,7	28,9	31,5	35,3	39,5	43,8	47,3	52,8	57,4	62,9	68,4	71,8	75,0	80,8							
	133		22,0	24,7	27,0	30,3	33,1	37,1	41,6	46,2	49,8	55,7	60,7	66,6	72,5	76,2	79,7	86,1	91,7						
139,7			23,2	26,0	28,4	32,0	34,9	39,2	43,9	48,8	52,7	59,0	64,3	70,7	77,1	81,2	85,0	92,1	98,4						
	141,3		23,5	26,3	28,8	32,4	35,3	39,7	44,5	49,4	53,4	59,8	65,2	71,7	78,2	82,3	86,3	93,5	99,9						
	152,4		25,4	28,5	31,2	35,1	38,4	43,1	48,4	53,8	58,2	65,3	71,3	78,5	85,9	90,6	95,0	103	111	119					
	159		26,6	29,8	32,6	36,7	40,1	45,2	50,7	56,4	61,1	68,6	74,9	82,6	90,5	95,4	100	109	117	127					
168,3			28,2	31,6	34,6	39,0	42,7	48,0	54,0	60,1	65,1	73,1	80,0	88,3	96,9	102	108	117	127	137	146				
	177,8		29,9	33,5	36,7	41,4	45,2	51,0	57,3	63,8	69,2	77,8	85,2	94,2	103	109	115	126	136	147	158	167			
	193,7		32,7	36,6	40,1	45,3	49,6	55,9	62,9	70,1	76,0	85,7	93,9	104	114	121	128	140	152	165	177	188	198		
219,1			37,1	41,6	45,6	51,6	56,5	63,7	71,8	80,1	87,0	98,2	108	120	132	140	148	163	177	193	209	223	235	247	
	244,5		41,6	46,7	51,2	57,8	63,3	71,5	80,6	90,2	98,0	111	122	135	149	159	168	185	202	221	240	257	273	288	
273			46,6	52,3	57,3	64,9	71,1	80,3	90,6	101	110	125	137	153	169	180	190	210	230	253	275	296	315	333	
323,9			55,5	62,3	68,4	77,4	84,9	96,0	108	121	132	150	165	184	204	217	230	256	280	310	338	365	390	415	
355,6			61,0	68,6	75,3	85,2	93,5	106	120	134	146	166	183	204	226	241	255	284	311	345	377	408	437	466	
406,4			69,9	78,6	86,3	97,8	107	121	137	154	168	191	210	235	261	278	295	329	361	401	439	477	513	547	
457			78,8	88,6	97,3	110	121	137	155	174	190	216	238	266	296	316	335	374	411	457	502	545	587	628	
508			87,7	98,6	108	123	135	153	173	194	212	241	266	298	331	354	376	419	462	514	565	614	663	710	
	559		96,6	109	119	135	149	168	191	214	234	266	294	329	367	391	416	464	512	570	628	684	738	792	
610			106	119	130	148	162	184	209	234	256	291	322	361	402	429	456	510	562	627	691	753	814	874	
	660		114	129	141	160	176	200	226	254	277	316	349	392	436	466	496	554	612	683	752	821	888	954	
711			123	139	152	173	190	215	244	274	299	341	377	423	472	504	536	599	662	739	815	890	963	1036	
	762		132	149	163	185	204	231	262	294	321	366	405	454	507	542	576	645	712	796	878	959	1039	1117	
813			141	159	175	198	218	247	280	314	343	391	433	486	542	579	616	690	763	852	941	1028	1114	1199	
	864		150	169	186	211	231	262	298	335	365	416	461	517	577	617	657	735	813	909	1004	1097	1190	1281	
914			159	179	196	223	245	278	315	354	387	441	488	548	612	654	696	780	862	964	1065	1165	1264	1361	
1016			177	199	219	248	273	309	351	395	431	491	544	611	682	729	777	870	963	1078	1191	1303	1415	1524	
1067			186	209	230	261	286	325	369	415	453	516	572	642	717	767	817	915	1013	1134	1254	1373	1490	1606	
1118			195	219	241	273	300	341	387	435	475	542	600	674	753	805	857	961	1063	1191	1317	1442	1556	1688	
	1																								

Table 2 – Dimensions (wall thicknesses $70 \text{ mm} \leq T \leq 100 \text{ mm}$) and masses per unit length

Outside Diameter D mm	Wall thickness T , mm			
	70	80	90	100
	Mass per unit length kg/m			
219,1	257			
244,5	301	325		
273	350	381		
323,9	438	481	519	552
355,6	493	544	590	630
406,4	581	644	702	765
457	668	744	815	880
508	756	844	928	1006
559	844	945	1041	1132
610	932	1046	1154	1258
660	1019	1144	1265	1381
711	1107	1245	1378	1507

Bibliography

EN 10088-1, *Stainless steels – Part 1: List of stainless steels.*

prEN 10255, *Non-alloy steel tubes suitable for welding or threading – Technical delivery conditions.*

EN 10305-1, *Steel tubes for precision applications – Technical delivery conditions - Part 1: Seamless cold drawn tubes.*

EN 10305-2, *Steel tubes for precision applications – Technical delivery conditions - Part 2: Welded cold drawn tubes.*

EN 10305-3, *Steel tubes for precision applications – Technical delivery conditions - Part 3: Welded cold sized tubes.*

prEN 10305-4, *Steel tubes for precision applications – Technical delivery conditions - Part 4: Seamless cold drawn tubes for hydraulic and pneumatic power systems.*

prEN 10305-5, *Steel tubes for precision applications – Technical delivery conditions - Part 5: Welded and cold sized square and rectangular tubes.*

prEN 10305-6, *Steel tubes for precision applications – Technical delivery conditions - Part 6: Welded cold drawn tubes for hydraulic and pneumatic power systems.*

EN ISO 1127, *Stainless steel tubes - Dimensions, tolerances and conventional masses per unit length (ISO 1127:1992).*

EN ISO 11960, *Petroleum and natural gas industries – Steel pipes for use as casing or tubing for wells (ISO 11960:2001)*

EN ISO 11961, *Petroleum and natural gas industries – Steel pipes for use as drill pipe – Specification (ISO 11961:1996).*

ISO 4200:1991, *Plain end steel tubes, welded and seamless – General tables of dimensions and masses per unit length.*

BSI — British Standards Institution

BSI is the independent national body responsible for preparing British Standards. It presents the UK view on standards in Europe and at the international level. It is incorporated by Royal Charter.

Revisions

British Standards are updated by amendment or revision. Users of British Standards should make sure that they possess the latest amendments or editions.

It is the constant aim of BSI to improve the quality of our products and services. We would be grateful if anyone finding an inaccuracy or ambiguity while using this British Standard would inform the Secretary of the technical committee responsible, the identity of which can be found on the inside front cover.
Tel: +44 (0)20 8996 9000. Fax: +44 (0)20 8996 7400.

BSI offers members an individual updating service called PLUS which ensures that subscribers automatically receive the latest editions of standards.

Buying standards

Orders for all BSI, international and foreign standards publications should be addressed to Customer Services. Tel: +44 (0)20 8996 9001.
Fax: +44 (0)20 8996 7001. Email: orders@bsi-global.com. Standards are also available from the BSI website at <http://www.bsi-global.com>.

In response to orders for international standards, it is BSI policy to supply the BSI implementation of those that have been published as British Standards, unless otherwise requested.

Information on standards

BSI provides a wide range of information on national, European and international standards through its Library and its Technical Help to Exporters Service. Various BSI electronic information services are also available which give details on all its products and services. Contact the Information Centre.
Tel: +44 (0)20 8996 7111. Fax: +44 (0)20 8996 7048. Email: info@bsi-global.com.

Subscribing members of BSI are kept up to date with standards developments and receive substantial discounts on the purchase price of standards. For details of these and other benefits contact Membership Administration.
Tel: +44 (0)20 8996 7002. Fax: +44 (0)20 8996 7001.
Email: membership@bsi-global.com.

Information regarding online access to British Standards via British Standards Online can be found at <http://www.bsi-global.com/bsonline>.

Further information about BSI is available on the BSI website at <http://www.bsi-global.com>.

Copyright

Copyright subsists in all BSI publications. BSI also holds the copyright, in the UK, of the publications of the international standardization bodies. Except as permitted under the Copyright, Designs and Patents Act 1988 no extract may be reproduced, stored in a retrieval system or transmitted in any form or by any means – electronic, photocopying, recording or otherwise – without prior written permission from BSI.

This does not preclude the free use, in the course of implementing the standard, of necessary details such as symbols, and size, type or grade designations. If these details are to be used for any other purpose than implementation then the prior written permission of BSI must be obtained.

Details and advice can be obtained from the Copyright & Licensing Manager.
Tel: +44 (0)20 8996 7070. Fax: +44 (0)20 8996 7553.
Email: copyright@bsi-global.com.